Brittonia, 39(4), 1987, pp. 509–524.
© 1987, by the New York Botanical Garden, Bronx, NY 10458-5126

INDEX TO VOLUME 39

New names and combinations and the pages of publication are printed in **boldface.** Not included here are entries from "The index to the authors and their papers in volumes 1–38 (1931–1986) of Brittonia," which appears in this issue on pages 460–507.

Abronia: elliptica 88; *mellifera* 88
Abuta 258
Acacia 109, 130–132, 254, subg. *Aculeiferum* 130; sect. *Filicinae* 130, 132; *crinita* key 132; *rosei* key 132; **sousae 130–132**, fig. 131, key 132; *tequilana* key 132
Acacia sousae (Leguminosae: Mimosoideae), a new species from Mexico, by Lourdes Rico 130–132
Acaciella ortegae key 132
Acerates decumbens 88
ACEVEDO-RODRÍGUEZ, PEDRO, Two new species of *Serjania* (Sapindaceae) from Brazil 348–352
Achillea millefolium 88, 153
Achrohypnella 213; *subenervis* 213
Achrophyllum 211
Acrolasia humilis 155
Acrostichum 10
Actinella rusbyi 243
Actinidia chinensis 363
Actinodontium 213
Adelobotrys: **ayangannensis 159–161**, fig. 160; *monticola* 161; *spruceana* 159, 160
Adelotheciaceae 210, **214**
Adelothecium 214
Adiantaceae 243
Adiantum 158; *aethiopicum* cv. Fox Tail 158; *raddianum* 158; *tenerum* 158
Aechmea itapoana 198
Agalinis 353–357; *angustifolia* 355; **bandeirensis 353–355**, fig. 354; **bangii 353**, 355; **digitalis** 353, **355**; *lanceolata* 355; *linarioides* 355, 357, subsp. *linarioides* 357, subsp. **rojasii** 353, **357**; **meyeniana 355**; **ramulifera** 353, **355–357**, fig. 356
Agaricus bisporus 132
Agavaceae 243
Agave 109; *pringlei* 243
Ageratina azangaroensis 434
Agonandra racemosa 455
Agoseris 94; *agrestis* 154; *aurantiaca* 154, var. *purpurea* 155; *frondifera* 155; *glauca* var. *agrestis* 154, var. *laciniata* 155; *leptocarpa* 155; *montana* 154
Agropyron: repens 88; *spicatum* 415
Alaska: *Primula* 63–72
Alchemilla 285
Alchornea latifolia 195
Allenrolfea occidentalis 89
Allionia: montanensis 154; *sessilifolia* 154
Allium: acuminatum 88; *arenicola* 154; *geyeri* var. *tenerum* 154; *reticulatum* 88; *rubrum* 154; *stellatum* 88; *textile* 88
Amblirion pudicum var. *biflorum* 88
Amblytropis 213; *denticulata* 222; *pocsii* 222
Ambrosia: coronopifolia 88; *psilostachya* 88
Amianthium nuttallii 88
Ammodia 381, 382; *oregona* 381, 382
Amsinckia: lycopsoides 89; *tessellata* 89
Anatomical studies of *Carex cuchumatanensis, C. decidua,* and *C. hermannii* (Cyperaceae) and comparisons with North American taxa of the *C. acuta* complex, by Lisa A. Standley 11–19
Anaxagorea 133, 136; *guatemalensis* 136
ANDERSON, ANTHONY B. See Balick, Anderson & Medeiros-Costa 26–36
ANDERSON, JOHN L. See O'Kane & Anderson 412–416
Anemone: narcissiflora subsp. *zephyra* 153; *pennsylvanica* 89
Angelica 152; *grayi* 152
Annonaceae 133, 136
Anomospermum 258
Anthospermum 312
Antidesma 273
Apiaceae 285
Apocynaceae 260, 261
Apodina mexicana 458
Aquilegia: caerulea 152; *saximontana* 152
Arabis: aprica 155; *demissa* var. *demissa* 154, 155; *rugocarpa* 154
Arbutus 263–267; *arizonica* 266; *glandulosa* 263, fig. 264, 266, 267; **tessellata 263–267**, fig. 264, map 266; *xalapensis* 266
Arbutus tessellata (Ericaceae), new from Mexico, by Paul D. Sørensen 263–267
Arceuthobium 456–458; *bicarinatum* 456; *cubense* 447, 458
Archangelica gmelini 152
Arctostaphylos oppositifolia 243
Arecaceae 1–6, 20–36, 78, 243; Cocoeae 5, 26; Linospadiceae 24; Attaleinae 5, 26, 27, 35, 36; Malortinae 24
Arenaria fendleri 153
Argemone hispida 89
Arizona: *Astragalus* 188–191
Arnica parryi var. *crinita* 155, var. *parryi* 155
Artemisia: arctica subsp. *saxicola* 153; *campestris* 89; *cana* subsp. *viscidula* 154, var. *viscidula* 154; *canadensis* 89; *carruthii* 154; *coloradensis* 154; *frigida* 89; *longiloba* 155; *ludoviciana* 89, subsp. *ludoviciana* 154; *silvicola* 154; *spiciformis* 154, var. *longiloba* 155; *tilesii* 70; *tridentata* 89, subsp. *vaseyana* f. *spiciformis* 154
Arthrocnemum fructicosum 89
Asclepias asperula 88, fig. 89
Aster 284–297; sect. *Biotia* 284–297; *alleghaniensis* 288; *ambiguus* 288; *amnicola* 288; *ampliatus* 288; *arcifolius* 288; *arcuatus* 288;

ardens 288; *arenicola* 288; *argillarius* 288; *atrovirens* 288; *aucuparius* 288; *biformis* 288; *boykinii* 289; *camptilis* 289; *capillaris* 289; *carmesinus* 289; *castaneus* 289; *chasei* 289; *chlorolepis* 289, 290; *circularis* 289; *claytonii* 289; *claytonii crispicans* 289; *commixtus* 286, 289; *corymbosus* 289, 295, var. *alatus* 289, 290, 295; *curvescens* 289; *curvescens oviformis* 289, 293; *curvescens umbelliformis* 290, 294; *decaphyllus* 290; *densatus* 290; *divaricatus* 286, 288–295, var. *alatus* 290, var. *chlorolepis* 290, *divaricatus curtifolius* 290, *divaricatus cymulosus* 290, *divaricatus deltoideus* 290, *divaricatus fontinalis* 290, *divaricatus persaliens* 290, 293, var. *tenebrosus* 290; *ebeneus* 290; *elaeagnius* 290; *erectus* 290; *eriensis* 290; *exacutus* 290; *excavatus* 291; *excelsior* 291; *ferox* 291; *fimbriatus* 291; *flexilis* 291; *fluvialis* 154; *fragrans* 291; *furcatus* 291, 292, var. *elaciniatus* 291, f. *elaciniatus* 291, f. *erythractis* 291; *glomeratus* 286, 291; *granulosis* 291; *gremialis* 291; ×*herveyi* 291; *herveyi* var. *intermedia* 291; *hesperius* var. *wootonii* 154; *ianthinus* 291, 292; *infirmus* 290; *iostemma* 291; *julianus* 292; *jussiei* 292; *laevis* var. *strictiflora* 155; *leptocaulis* 292; *limicola* 292; *listriformis* 292; *macrophyllus* 284, 286, 288, 290–295, var. *albiflorus* 286, 292, *macrophyllus apricensis* 292, *macrophyllus biformis* 288, 292, var. *coeruleus* 292, f. *eglandulosus* 292, *macrophyllus excelsior* 291, 292, var. *ianthinus* 292, *macrophyllus pinguifolius* 292, var. *schreberi* 292, *macrophyllus sejunctus* 292, *macrophyllus velutinus* 292; *masardiensis* 292; *mirabilis* 293; *mollescens* 293; *multiformis* 293; *nobilis* 293; *oblongifolius* 87, 89; *olivaceus* 293; *orbicularis* 293; *oviformis* 289, 293; *parthianus* 293; *pauciflorus* 154; *persaliens* 293; *quadratus* 293; *quiescens* 293; *rectifolius* 293; *riciniatus* 293; *roscidus* 293, var. *varifolius* 286, 293; *rupicola* 293; *sabulosus* 293; *schreberi* 284, 286, 288–290, 292–295; *scutiformis* 294; *securiformis* 294; *sextilis* 294; *sociabilis* 294; *spectabilis* 291, 295; *stilettiformis* 294; *subcymosus* 292, 294; *subinteger* 294; *sylvicola* 294; *sympodialis* 294; *tenebrosus* 290, 293, 294; *ulmarius* 294; *umbelliformis* 294; *uniformis* 294; *violaris* 295; *virgularis* 295; *viridis* 295; *vittatus* 295

Asteraceae 44–48, 164, 201–204, 243, 253–257, 284–297, 311, 379–386, 405, 415, 432–435; Astereae 253–257, 379–386; Heliantheae 201–204; Senecioneae 432–435; Vernonieae 44–48

Astragalus 141, 164, 188–191, 285, 311, 358–363, 415; sect. *Humistrati* 190, 191, key 191; sect. *Sarcocarpi* 359; sect. *Scytocarpi* key 190; subsect. *Micromerii* 190, 191; ser. *Humistratae* 188; *adsurgens* 89; *agrestis* 154; **bibullatus** 358, **359–362**, figs. 360 & 361; *bisulcatus* var. *haydenianus* key 190; *caryocarpus* 358; **chuskanus 188–191**, fig. 189, key 191; *crassicarpus* 358–361, var. *cavus* 360, var. *crassicarpus* 358–361, var. *trichocalyx* 361; *eucosmus* key 191; *humistratus* 188, 190, 191, var. *crispulus* 188, 190, var. *humistratus* 190; *hypoglottis* var. *bracteatus* 154; *knightii* 188; *linifolius* 156; *lutosus* 415; *micromerius* 188, 190, 191; *moencoppensis* key 190; *osterhoutii* 156; *plattensis* 358; *puniceus* 154; *tennesseensis* 361; *utahensis* 93; *wittmannii* 188

Astrocaryum: jauary fig. 81; *standleyanum* 1

Astrosporina 406

Atriplex 157; *confertiflora* 92; *eremicola* 154; *fruticulosa* 154; *gardneri* 154; *rosea* 156; *tridentata* 92; *virgata* 156

×**Attabignya 27**; **minarum** 26, **27–29**, fig. 28, 31–35, figs. 33–35

Attalea 1, 5, 26, 35, 36; *burretiana* 5; **colenda 1–6**, figs. 2–4; *compta* 5, 26–36, figs. 28 & 33–35; *concentrista* 5; *oleifera* 5; *piassabossu* 5; *pindobassu* 5

Atuna: **cordata 364**, 365, fig. 365; *excelsa* 364, 365; *racemosa* 364, 365

Audibertia clevelandii 243

Aulospermum: angustum 154; *betheli* 155; *planosum* 154

Australia: *Colura* 175–179

Author index to volumes 1–38 (1931–1986) of Brittonia 460–507

AYERS, TINA J., Four species from western Mexico new to *Lobelia* (Campanulaceae: Lobelioideae) 417–422

Baccharis myrsinites 195

Bactris: constanciae 78; *trichospatha* 83; *umbrosa* 83

BAKER, MARC A. & DONALD J. PINKAVA, A cytological and morphometric analysis of a triploid apomict, *Opuntia* ×*kelvinensis* (subgenus *Cylindropuntia,* Cactaceae) 387–401

BALICK, MICHAEL J., ANTHONY B. ANDERSON & JUDAS TADEU DE MEDEIROS-COSTA, Hybridization in the babassu palm complex. II. *Attalea compta* × *Orbignya oleifera* (Palmae) 26–36

BALSLEV, HENRIK & ANDREW HENDERSON, The identity of *Ynesa colenda* (Palmae) 1–6

Barbosa 73

Barbosa Rodrigues, João 73–85, figs. 74–77, 80 & 81

Barbosella 73

Barbrodria 73

BARNEBY, RUPERT C., A note on *Mimosa invisa* C. Martius ex Colla and *M. invisa* C. Martius (Mimosaceae) 49–50

———.—book review of *Flora Novo-Galiciana. Vol. 5. Leguminosae,* by R. McVaugh, edited by W. R. Anderson 405

———.—book review of *Mountain Flora of Greece, Volume I,* by Arne Strid & collaborators 285

———.—book review of *Plant Life of South-West Asia,* edited by I. C. Hedge 164

———.—book review of *100 Poisonous Plants of Maryland,* by Steven R. Hill, illustrated by Peggy K. Duke 144

———.—book review of *Seeds of Continental United States Legumes (Fabaceae),* by Richard L. Delorit & Charles R. Gunn 277

———.—book review of *The Botanists. A His-*

tory of the Botanical Society of the British Isles Through a Hundred and Fifty Years, by David Elliston Allen 244
———. See Grether & Barneby 345–347
———. See Irwin & Barneby 7–10
———. The fruit and tribal affinity of genus *Cionomene* (Menispermaceae) 258–259
——— & EDWIN L. BRIDGES, A new species of *Astragalus* (Fabaceae) from Tennessee's Central Basin 358–363
——— & RENÉE H. FORTUNATO, Four new diplostemonous species of *Mimosa* (Mimosaceae) from Paraguay and eastern Bolivia 165–174
——— & RICHARD SPELLENBERG, A new species of *Astragalus* (Leguminosae) from northwestern New Mexico and adjacent Arizona 188–191
BARRINGER, KERRY—book review of *Orchids of Ontario,* by R. E. Whiting & P. M. Catling 262
———, New and noteworthy South American species of *Agalinis* (Scrophulariaceae) 353–357
——— & LORIN I. NEVLING, JR., New species of *Schoenobiblus* (Thymelaeaceae) from Venezuela 428–431
Bartholomaea 436–439; *mollis* 436; *sessiliflora* 436, fig. 437
Beaucarnea 107
Begonia: sect. *Gireoudia* 59–61; *conchifolia* 61; *glandulosa* 61; *heracleifolia* 61, 62; **lyman-smithii 59**–62, fig. 60; *pinetorum* 61; *sericoneura* 59, 61, 62
Begoniaceae 59–62
Begonia lyman-smithii (Begoniaceae), a new species from Oaxaca, Mexico, by Kathleen Burt-Utley & John F. Utley 59–62
BEITEL, JOSEPH M.—book review of *Maidenhair Ferns in Cultivation,* by Christopher J. Goudy 158
———.—book review of *The Ferns and Fern Allies of Southern Africa,* by W. B. G. Jacobsen 143–144
Belize: *Habenaria* 402–404
Berberis: aquifolium 89; *trifoliolata* 254
BERNARDELLO, LUIS M., Comparative floral morphology in Lycieae (Solanaceae) 112–129
Bigelovia albida 243
Bignoniaceae 81, 133, 137
Biophytum 133–136, 138; **cowanii 133**–136, fig. 134; *dendroides* 135; *mucronatum* 133, 135, 136
Biotia 284, 295; *commixta* 295; *corymbosa* 295, var. *alata* 295; *glomerata* 295; *latifolia* 295; *macrophylla* 295, var. *divaricata* 295; *schreberi* 284, 295
Bolivia: *Calea* 201–204; *Mimosa* 165–174
BOOM, BRIAN M.—book review of *A Biosystematic Study of the African and Madagascan Rubiaceae—Anthospermeae,* by Christian Puff 312
Boraginaceae 243, 415
Bothriochloa 254
Bouvardia 248, 250; *alexanderae* 248, 250
Brassicaceae 164, 285, 415
Brazil: João Barbosa Rodrigues 73–85; *Campomanesia* 245–247; *Krameria* 198–200; *Mesosetum* 306–308; *Raveniopsis* 409–411; *Serjania* 348–352; *Xyris* 298–301
Breweria minima 243
BRIDGES, EDWIN L. See Barneby & Bridges 358–363
Brodriguesia 73
Bromeliaceae 37–43, 59, 62, 198, 434
Brongniartia 405
Brunellia comocladiifolia 195
Brymela 210, 213, 216–218, key 217; **acuminata** 210, **217**; **callicostelloides** 210, **217**; **cuspidata** 210, **217**; **fissidentoides** 210, **217**; **fluminensis** 210, **217**; **obtusifolia** 210, **218**; **parkeriana** 210, **218**; **rugulosa** 210, **218**; *tutezona* 216, 217; **websteri** 210, **218**
Bryobrothera 214
Brysanthus 438
BUCK, WILLIAM R., Taxonomic and nomenclatural rearrangement in the Hookeriales with notes on West Indian taxa 210–224
Burmanniaceae 376–378
Burseraceae 51–58; Protieae 51, 53
BURT-UTLEY, KATHLEEN & JOHN F. UTLEY, *Begonia lyman-smithii* (Begoniaceae), a new species from Oaxaca, Mexico 59–62
——— & ———, Contributions toward a revision of *Hechtia* (Bromeliaceae) 37–43
Cactaceae 243, 387–401, 507
Cactophagus 5
Caesalpinia 405
Caesalpiniaceae (see also Leguminosae) 7–10
Calantica 438
Calathea 139; *brenesii* 140; *crotalifera* 139, 140; *insignis* 139, 140; *macrochlamys* 139; *sclerobracteata* 140
Calea 201–204; sect. *Lemmatium* 201; sect. *Meyeria* 201; *anomala* 201, 203, key 204; **dalyi 201**–204, fig. 202, key 204; *ferruginea* 204; *harleyi* key 204; *hypericifolia* key 204; *microphylla* 204; *pinheiroi* key 204; *purpurea* 201, 203, key 204; *teucriifolia* 201, 203, 204, key 203–204; *villosa* 204
Calea dalyi (Compositae: Heliantheae), a new species from the Serranía de Santiago, Bolivia, by John F. Pruski & Lowell E. Urbatsch 201–204
Calliandra 405
Callicosta 213, 215
Callicostaceae 210, 213, 214, 222
Callicostella 221; *depressula* 221
Callicostellopsis 213
Callirhoe involucrata 89
Calochortus: luteus 89; *nuttallii* 89
Calymperaceae 225–237
Calymperes 225–237; subg. *Calymperes* 228, 229, 235; subg. *Hyophilina* 228, 229, 235; subg. *Somphoneuron* 228, 229; *aeruginosum* 229, map 233, 234; *afzelii* 225, 228, 229, map 230, 235, 236; *bartramii* 229, map 231, 234; *beccarii* 229, map 233; *couguiense* 229, map 232, 234; *crassinerve* 227, 229, map 232, 234; *dozyanum* 229, map 233, 234; *erosum* 225,

228, 229, map 230, 234–236; *fasciculatum* 228, 229, map 232; *gemmiphyllum* 229, map 232; *guildingii* 229, map 231, 234; *levyanum* 229, map 233, 234; *lonchophyllum* 225, 228, 229, map 230, 235, 236; *mitrafugax* 229, map 231, 234; *motleyi* 229, map 232, 234; *nicaraguense* 229, map 232, 234; *palisotii* 225, 228, 229, map 230, 234–236; *platyloma* 229, map 232, 234; *porrectum* 229, map 233, 234; *rabenhorstii* 229, map 233; *robinsonii* 229, map 231; *rubiginosum* 229, map 232, 235; *schmidtii* 226, 229, map 231, 234, 235; *serratum* 229, map 233, 234; *smithii* 229, map 232, 234; *strictifolium* 229, map 231; *subserratum* 229, map 231, 234; *subulatum* 229, map 231, 234, 235; *taitense* 229, map 231; *tenerum* 225, 228, 229, map 231, 235, 236; *uleanum* 229, map 233; *venezuelanum* 229, map 233

Calymperes (Musci: Calymperaceae): world ranges, implications for patterns of historical dispersion and speciation, and comments on phylogeny, by William D. Reese 225–237

Calyptrochaeta 212, 223; **albescens** 210, **223**; **setigera** 210, **223**

Camissonia: boothii subsp. *alyssoides* 92; *scapoidea* 93

Campanulaceae 243, 417–422; Lobelioideae 417–422

Campanula uniflora 152

Campomanesia 245–247; **espiritosantensis 245–247**, fig. 246; *eugenioides* 245, 247; *guazumifolia* 247; *schlechtendaliana* 247; *xanthocarpa* 247

Canarium 53; *sylvestre* 53

Capparidaceae 435

Capparis angulata 435

Capsicum 124, 125

Caraipa 449

Carduus 157; *acuatus* 155; *araneosus* 154; *canalensis* 155; *crassus* 155; *laterifolius* 155; *modestus* 155; *spathulatus* 154; *undulatus* 157; *vernalis* 155

Carex 11–19, 278–283, 311; sect. *Lupulinae* 278; sect. *Phacocystis* 11, 16; sect. *Vesicariae* 278, 282; *acuta* 11, 12, 16; *aperta* 16; *aquatilis* 16, 66, var. *aquatilis* 16; *chillanensis* 12; *cuchumatanensis* 11–19, **figs. 14 & 15**; *decidua* 11–19, figs. 14 & 15; *elata* 11; *gaudichaudiana* 11; *gigantea* 278, 279, 282, figs. 281 & 282; *goodenowii* 12; *grayi* fig. 282; *haydenii* 16; *hermannii* 11–19, figs. 14 & 15; *hindsii* 12; *intumescens* fig. 282; *lenticularis* 11, 12, 15, 16, var. *lenticularis* 11, var. *limnophila* 12; *louisianica* 278, 279, 282, figs. 281 & 282; *lupulina* 278, 279, 282, figs. 281 & 282; *lupuliformis* 278, 279, 282, figs. 281 & 282; *melanolepis* 12; *nebrascensis* 16; *nigra* 11, 12, 16; *oligosperma* 279, figs. 280 & 282; *retrorsa* 278–283, figs. 281 & 282; *rostrata* 279, figs. 280 & 282; *rufina* 11; *scopulorum* 16; *stricta* 16; *thunbergii* 11; *trinervis* 11; *tuckermanii* 279, figs. 280 & 282; *vesicaria* 279, figs. 280 & 282; *vulgaris* var. *pumila* 12

Carpacoce 312

CARSON, W. P. See Pickett & Carson 407–408

Carterella 248–252, **250**; **alexanderae** figs. 249 & 251, **250–252**

Carterella (Rubiaceae), new genus from Baja California, Mexico, by Edward E. Terrell 248–252

Caryomene 258

Caryophyllaceae 285

Cassia 9

Cassipourea 136

Castilleja: chromosa 90; *hispida* 90; *linariifolia* 90; *miniata* 90; *occidentalis* 152; *sessiliflora* 90

CATLING, PAUL M., A new *Habenaria* (Orchidaceae) from Belize and Mexico 402–404

Caulanthus crassicaulis 94

Centaurea 164

Centronia crassiramis 159

CERATI, TANIA MARIA. See Wanderley & Cerati 298–301

Cercis canadensis 362

Cercocarpus 423–427; *hypoleucus* 423, 426; *intricatus* 423, 424; *ledifolius* 423–426, key 424, fig. 425, var. *hypoleucus* 426, var. *intercedens* 423, 424, f. *hirsutus* 423, 426, f. *subglaber* 423, 424, var. **intermontanus** 423, **424–427**, key 424, fig. 425, var. *intricatus* 423, var. *ledifolius* 423–426, key 424, fig. 425; *montanus* 415

Cercocarpus ledifolius var. *intermontanus* (Rosaceae), a new varietal name for the Intermountain curl-leaf mountain-mahogany, by Noel H. Holmgren 423–427

Cereus maritimus 243

Cestrum 195

Chaenactis: achilleaefolia 90; *brachiata* var. *stansburiana* 88, 90; *douglasii* var. *achilleaefolia* 90; *stevioides* 90

Chaetephora incurva 218

Chaetomitriopsis 210, 214

Chaetomitrium 210, 214

Chamaecrista 7–10; sect. *Absus* 7–10; ser. *Adenophyllae* 7, 9; ser. *Catharticae* 9; ser. *Glutinosae* 7, 9; *adenophylla* 7, 9; **axilliflora 7–9**, fig. 8; *cathartica* var. *paucijuga* 7, 9; *catiarae* 9; *cytisoides* var. *brachystachya* 198; **gumminans 7–9**, fig. 8; *stillifera* 7, 9

Chamaesyce maculata 362

Cheilanthes lanosa 238

Chenopodina: linearis 90, 95; *moquinii* 95

Chenopodium: deltaphyllum 156; *fremontii* f. *farinosum* 156

CHIANG, FERNANDO & DAWN FRAME, The identity of *Lithophytum* (Loganiaceae, Plocospermeae) 260–262

Chrysobalanaceae 364–370

Chrysopsis 157; *alpicola* 383, var. *glomerata* 383; *bakeri* 383; *barbata* 379; *cooperi* 383; *cryptocephala* 379, 380; *elata* 156, 380; *fulcrata* 379, 380; *nitidula* 383; *oregona* 381, var. *compacta* 382, var. *scaberrima* 383; *pedunculata* 383; *pumila* 383; *resinolens* 379, var. *ciliata* 380; *rudis* 382; *senilis* 380; *viscida ciliata* 380, subsp. *cinerascens* 381

Chrysosplenium tetrandum 70

Chrysothamnus viscidiflorus 415, var. *viscidiflorus* 92
Chylocalyx senticosus 103
Cicer arietinum 90
Cionomene 258–259; *javariensis* fig. 259
Cirsium 158; *araneans* 154; ×*canalense* 155; *coccinatum* 156; ×*crassum* 155; *drummondii* 156; *laterifolium* 155; *modestum* 155; *scapanolepis* 154; *scopulorum* 152; *tracyi* 155; *undulatum* 90; *vernale* 155
Citharexylum caudatum 195
Cladocolea 447–449; **apiculata 447**–449, fig. 448; **coriacea** 447, **449**, fig. 450; *harlingii* 449; *pedicellata* 449; *primaria* 447
Clematis ligusticifolia 86, 90
Cleome lutea 90
Clidemia: anisophylla 163; **ayangannensis** 159, **161**–164, fig. 162; *biformis* 163; **granvillei** 159, **163**; *juruensis* 161; *pussiliflora* 161; *septuplinervis* 164; **venosa** 159, **164**
Clymus 90
Cnidoscolus 107
Cogswellia concinna 155
Collomia linearis 90
Colorado: *Penstemon* 412–416
Colura 175–179, key to Australian spp. 177–178; sect. *Harmophyllum* key 177; sect. *Heterophyllum* key 177, 178, 179; sect. **Lingua** 175, **177**, key 177; sect. *Oidocorys* key 178; *acroloba* 175, key 177, 179; *acutifolia* 178; *ari* 175, key 178, 179; *australiensis* 175, key 178, 179; *bisvoluta* 175, 177, key 177, 179; *conica* 175, key 178, 179; *crispiloba* 175, key 178, 179; *imperfecta* 179; *karstenii* 177; *lingua* **177**; *ornata* 179; *pulcherrima* var. *bartlettii* 175, key 178; **queenslandica 175**–177, fig. 176, key 177, 179; *saccophylla* 175, key 178; *simplicior* 175, 177–179, key 177, fig. 178; *strophiolata* 177
Comandra umbellata 90
Comolia 441, 445; *hoehnei* 441
Comparative floral morphology in Lycieae (Solanaceae), by Luis M. Bernardello 112–129
Compositae: See Asteraceae
Conioselinum 157; *coloradense* 155; *scopulorum* 155
Conoclinium 254
Constantia 78
Contributions toward a revision of *Hechtia* (Bromeliaceae), by Kathleen Burt-Utley & John F. Utley 37–43
Convolvulaceae 106–111, 243
Coprinus cinereus 132
Coreopsis longula 434
Corrected author citation for the combination *Aster* section *Biotia* (Asteraceae), by Warren F. Lamboy & Almut G. Jones 284–285
Corydalis aurea 86, 90
Corypha palmetto 243
Cousinia 164
Cowania stansburiana 87, 88, 90
Crepidospermum 51–58, key 55–56; sect. *Crepidospermum* key 55; sect. **Hemicrepidospermum** 51, 53, **55**, key 55, 56; *acutifolium* 53; *caudatum* 53; **cuneifolium** 51, 53, **55**, key 55, 58; *goudotianum* 51, fig. 52, 53, key 55, 57, 58; *luzonicum* 53; *multijugum* 51, key 55, 57, 58; **prancei** 51, fig. 52, **56**–58, key 56; *rhoifolium* 51, 53, 55, key 55, 56, 58; *sprucei* 51, 53
Crepis: acuminata 90; *atrabarba* 155; *exilis* 155
Crinipellis perniciosa 132
CRONQUIST, ARTHUR—book review of *A Checklist of New York State Plants,* by Richard S. Mitchell 72
———.—book review of *A Field Guide to Coastal Wetland Plants of the Northeastern United States,* by Ralph W. Tiner, Jr. 404
———.—book review of *Flowering Plants: Smartweeds to Hazelnuts,* by Robert H. Mohlenbrock & Paul M. Thomson, Jr. 209
———.—book review of *Guide to the Vascular Flora of Illinois: Revised and Enlarged Edition,* by Robert H. Mohlenbrock 111
———.—book review of *Marcus E. Jones,* by Lee W. Lenz 141–142
———.—book review of *The Evolution and Palaeobiology of Land Plants,* by Barry A. Thomas & Robert A. Spicer 411
———.—book review of *The Smithsonian Guide to Seaside Plants of the Gulf and Atlantic Coasts from Louisiana to Massachusetts, Exclusive of Lower Peninsular Florida,* by Wilbur H. Duncan & Marion B. Duncan 404
Crosbya 212
Crossomitrium 213
Crotalaria 405
Croton 254, 302–305; **chamelensis 302**–305, fig. 303; *gynopetalus* 305; *ramillatus* 302, 304, 305, var. *insignilobus* 304, 305
Croton chamelensis (Euphorbiaceae), a new species from coastal Jalisco, Mexico, by Emily J. Lott 302–305
Cruciferae: See Brassicaceae
Cryptantha 415; *breviflora* 156; *circumscissa* 92, 156; *exigua* 156; *gracilis* 154; *humilis* 91; *osterhoutii* 156; *sericea* 155; *stricta* 156; *thyrsiflora* 155
Ctenanthe 139, 140; **amabilis 139**, 140
Cupressaceae 457
Curarea 258
Curatella americana 447
Curviramea 215
Cuscuta 164
Cyathophoraceae 210
Cyathophorella 211
Cyathophorum 211
Cyathophylla 285
Cyclodictyon 210, 213, 222; *capillatum* 222; *denticulatum* 222; *obliquicuspis* 222; *roridum* 210, 222, 223; **subtortifolium** 210, **222**, 223
Cymopterus: acaulis 155; *hendersonii* 415; *longipes* 154; *lucidus* 155; *montanus* 155; *planosus* 154; *purpureus* 155
Cyperaceae 11–19, 243, 278–283
Cytological and morphometric analysis of a triploid apomict, *Opuntia* ×*kelvinensis* (subgenus *Cylindropuntia,* Cactaceae), by Marc A. Baker & Donald J. Pinkava 387–401
Dalea 405; *gattingeri* 362

Daltonia 212
Daltoniaceae 210, 212–214
DALY, DOUGLAS, Studies in neotropical Burseraceae I. A synopsis of the genus *Crepidospermum* 51–58
Daphnopsis 428
Dates of publication of Brittonia, volumes 1–38 460–463
Datura 125
Davya crassiramis 159
Decazyx 136
Delphinium: azureum 90; *nuttallianum* var. *nuttallianum* 90
Dendrocyathophorum 211
Dendrophthora 447, 449–452, 457, 458; *cupressoides* 447, 458; **diffusa** 447, **449**–452, fig. 451; *martinicensis* 452; *willtreleasei* 447, 452
Descurania pinnata 94, subsp. *filipes* 156
Desmanthus illinoensis 362
Desmaria 456
Desmodium 405
Didymopanax tremulum 195
Dieteria pulverulenta 90
Dimorphocladon 210, 214
Diospyros texana 254
Diploneuron 213
Diplopterys 136
Diplostephium pachyphyllum 434
Dissomeria 438
Distichophyllaceae 210
Distichophyllidium 212
Distichophyllum 212
Distinguished Brazilian botanist, João Barbosa Rodrigues (1842–1909), by Scott A. Mori & Flora Castaño Ferreira 73–85
Distribution maps: *Arbutus tessellata* 266; *Calymperes: aeruginosum* 233, *afzelii* 230, *bartramii* 231, *beccarii* 233, *couguiense* 232, *crassinerve* 232, *dozyanum* 233, *erosum* 230, *fasciculatum* 232, *gemmiphyllum* 232, *guildingii* 231, *levyanum* 233, *lonchophyllum* 230, *mitrafugax* 231, *motleyi* 232, *nicaraguense* 232, *palisotii* 230, *platyloma* 232, *porrectum* 233, *rabenhorstii* 233, *robinsonii* 231, *rubiginosum* 232, *schmidtii* 231, *serratum* 233, *smithii* 232, *strictifolium* 231, *subserratum* 231, *subulatum* 231, *taitense* 231, *tenerum* 231, *uleanum* 233, *venezuelanum* 233; *Flueggea neowawraea* 271; *Opuntia: fulgida,* ×*kelvinensis* & *spinosior* 397; *Penstemon debilis* 414; *Primula: eximia* 69, *tschuktschorum* 67; *Randia retroflexa* 374; *Sandemania hoehnei* 444
Draba 153; *alpicola* 153, 155; *grayana* 153, 155; *streptocarpa* 153
Drypetes 268, 273; *phyllanthoides* 268, 272
Echidiocarya ursina 243
Echinospermum floribundum 90
Echites 261
Ectropothecium 215
Editors of Brittonia, volumes 1–38 460
Effect of shade on petiole length in the *Viola fimbriatula-sagittata* complex (Violaceae), by Susan E. Yost 180–187
Elaeagia 136
Elaeis guineensis 6
Elaphoglossaceae 313–339
Elaphoglossum 313–339; sect. *Elaphoglossum* 314, 315; sect. *Lepidoglossa* 314, 315; sect. *Polytrichia* 315; sect. *Setosa* 315; sect. *Undulata* 315; subsect. *Hybrida* 315; subsect. *Muscosa* 314, 315, 318, 321; subsect. *Pachyglossa* 314, 315; subsect. *Pilosa* 315; subsect. *Pilosella* 315; subsect. *Polylepidea* 315; subsect. *Setosa* 315; *acrocarpum* 329; *affine* 319; *alfredii* var. *attenuatum* 325; **anceps 313**–315, fig. 339; **appressum** 313, **314**, 315, fig. 336; **atrorubens** 313, **314**, 315, fig. 334; **atrosquamatum** 313, **315**, 316, fig. 338; **chrysopogon** 313, 315, **316**, fig. 335; **crispatum** 313, 315, **316**, 317, fig. 332, var. **beitelii** 313, 315, **316**, 317, var. **crispatum** 313, 315, **316**, 317; **delicatulum** 313, 315, **317**, fig. 339; *discolor* 324, 325; **dolichopus** 313, 315, **317**, 318, fig. 337; *dombeyanum* 322; **drewianum** 313, 315, **318**, fig. 334; *engelii* 314, 315; **eriopus** 313, 315, **318**, 319, fig. 335; *flaccidum* 327; **floccosum** 313, 315, **319**, fig. 338; *foldatsii* 327; **grallator** 313, 315, **319**, 320, fig. 335; *heteromorphum* 317; **hieracioides** 313, 315, **320**, fig. 332; **incubus** 313, 315, **320**, 321, 327, fig. 333; *latifolium* 316; *lindenii* 324; *lingua* 314, 326, 328–330; **luteynii** 313, 315, **321**, fig. 334; **maguirei** 313, 315, **321**, 322, fig. 337; *melancholicum* 315, 323; **nigrocostatum** 313, 315, **322**, fig. 334; **obovatum** 313, 315, **322**, 323, fig. 338; **ornithoglossum** 313, 315, **323**, fig. 338; **ortegae** 313, 315, **323**, 324, fig. 333; *paleaceum* 322; *papillosum* 325; *perelegans* 323; *piloselloides* 320; **pilosius** 313, 315, **324**, fig. 332; **praetermissum** 313, 315, **324**, 325, fig. 337; *productum* 318; *pteropus* 317, 321, 322; *rubescens* 330; *sporadolepis* 316; **stenoglossum** 313, 315, **325**, fig. 332; **stergiosii** 313, 315, **325**, 326, 330, fig. 339; **steyermarkii** 313, 315, **326**, fig. 337; **styriacum** 313, 315, **326**, 327, fig. 335; **succubus** 313, 315, **327**, fig. 333; **tachirense** 313, 315, **327**, 328, 330, fig. 336; **tantalinum** 313, 315, **328**, fig. 333; *tenerum* 325; *tenuiculum* 320, 321, 328–330; *tovarense* 316; **urophyllum** 313, 315, **328**, 329, fig. 336; **vanderwerffii** 313, 315, **329**, fig. 332; **vareschianum** 313, 315, **329**, 330, fig. 333; **variolatum** 313, 315, 327, 328, **330**, fig. 336; *zettleri* 326
Elharveya 210, 215
Elymus striatus 90
Ephedra: americana 90; *nevadensis* 90
Ephemeropsidaceae 210, 211
Ephemeropsis 212
Epilobium angustifolium subsp. *circumvagum* 153
Eremolepidaceae 456
Ericaceae 243, 263–267
Erigeron: concinnus 91; *grandiflorus* 153; *melanocephalus* 153; *paucipetalus* 154; *peregrinus* 153; *pumilus* subsp. *concinnoides* var. *concinnoides* 91; *rusbyi* 243; *simplex* 153; *strigosus* 362
Eriocaulaceae 301

Eriocoma cuspidata 91
Eriogonum: brevicaule var. *brevicaule* 91; *confertiflorum* var. *stansburyi* 88, 91; *fremontii* 91; *lonchophyllum* 415; *ovalifolium* var. *ovalifolium* 87; *umbellatum* 91, var. *majus* 91
Eriopus 223; *setigerus* 223
Eritrichium glomeratum 91
Erodium cicutarium 91
Erysimum: asperum 91; *inconspicuum* 91
Erysiphaceae 459
Erythea brandegeei 250
Erythrochiton 136
Erythronium: grandiflorum 91; *utahense* 88, 91
Erythroxylaceae 198
Erythroxylum leal-costae 198
Eschweilera 136
Esterhazya 355; *andina* 353
Eubrachion 456
Eugenia 297
Eupatorium: altissimum 362; *illitum* 195
Euphorbiaceae 243, 268–277, 302–305; Drypeteae 268; Phyllantheae 268, 273
Euphorbia polyphylla 243
Eurybia 295; *commixta* 286, 289, 295; *corymbosa* 295; *glomerata* 286, 291, 295; *jussiei* 292, 295; *macrophylla* 295; *schreberi* 288, 294, 295
Eutoca heterophylla 88, 91
Evolvulus pilosus 362
Fabaceae (see also Leguminosae) 243, 285, 311, 358–363, 415; Phaseoleae 277
Fabiana 124
FERREIRA, FLORA CASTAÑO. See Mori & Ferreira 73–85
Festuca dasyclada 415
FILGUEIRAS, TARCISO S., Two new species of *Mesosetum* (Gramineae: Paniceae) from Brazil 306–308
Flacourtiaceae 436–439; Casearieae 436–438; Homalieae 436, 438; Scolopieae 436–438
Flammulina velutipes 132
Flueggea 268, 273, 275; sect. *Flueggea* subsect. *Flueggea* 268, fig. 274, 275; *flexuosa* 268, fig. 274, 275; *leucopyrus* fig. 274; **neowawraea 268–277**, figs. 269, 272 & 274, map 271; *phyllanthoides* 270; *virosa* fig. 274, subsp. *virosa* 270
Forestiera ligustrina 362
FORTUNATO, RENÉE H. See Barneby & Fortunato 165–174
Four new diplostemonous species of *Mimosa* (Mimosaceae) from Paraguay and eastern Bolivia, by Rupert C. Barneby & Renée H. Fortunato 165–174
Four species from western Mexico new to *Lobelia* (Campanulaceae: Lobelioideae), by Tina J. Ayers 417–422
FRAME, DAWN. See Chiang & Frame 260–262
French Guiana: *Thismia* 376–378
Fritillaria pudica 88
Froximon cuspidatum 94
Fruit and tribal affinity of genus *Cionomene* (Menispermaceae), by Rupert C. Barneby 258–259
Fuchsia pringsheimii 195
Galium coloradoense 415
Galopina 312
Garrya fadyenii 195
Gayophytum ramosissimum 91
Gentiana: affinis 91; *algida* 152; *rusbyi* 243
Gentianaceae 243
Geoprumnon crassicarpum 358
Geranium caespitosum 157
Gerardia: bangii 353; *digitalis* 353, 355; *macrodonta* β *latifolia* 353; *meyeniana* 353; *rigida* 355, β *meyeniana* 355
Gerrardina 438
Gesneriaceae 133, 137
Geum rossii var. *turbinatum* 152
Gilia 157; *aggregata* var. *aggregata* 91; *laxiflora* 154; *pulchella* 91
Glandularia canadensis 362
Gleason, Henry A., letter from 205–209, fig. 206
Glochidion 273
Gnaphalium: albatum 154; *decurrens* var. *glandulosum* 155; *viscosum* 155; *wrightii* 154
GOODE, JEANNE—book review of *Plain Ol' Charlie Deam. Pioneer Hoosier Botanist*, by Robert C. Kriebel 435
———.—book review of *Victorian Gardens*, by Brent Elliott 386
Grabowskia 112, 113, 119–122, 124–128, fig. 126, key 128; *duplicata* 113, figs. 120 & 121; *geniculata* 113
Gramineae: See Poaceae
Grayia: polygaloides 91; *spinosa* 91
GRETHER, ROSAURA & RUPERT C. BARNEBY, *Mimosa nanchititlana*, a new species from the state of México, Mexico (Mimosaceae) 345–347
GRIMES, JAMES—book review of *Le Genre Inga (Légumineuses, Mimosoideae) en Guyanne Française. Systématique, Morphologie des Formes Juvéniles, Écologie*, by Odile Poncy 197
Grindelia: lanceolata 362; *setulifera* 243; *squarrosa* 91
Guazuma 107
Guianas: Melastomataceae 159–164
Guttiferae 133, 136, 198
Gynoxys 432–435; **dilloniana 432–435**, fig. 433; *fallax* 434; *tomentosissima* 434; *validifolia* 434
Gyrotaenia myriocarpa 195
Habenaria 402–404; **brownelliana 402–404**, fig. 403; *entomantha* 402, 404; *guadalajarana* 402, 404; *hondurensis* 402, 404; *novemfida* 402, 404; *repens* 402, 404
Hackelia patens var. *patens* 90
HALLING, ROY E.—book review of *A Revision of the Genus Inocybe in Europe. I. Subgenus Inosperma and the Smooth-spored Species of Subgenus Inocybe*, by Thomas W. Kuyper 406
———.—book review of *Developmental Biology of Higher Fungi*, edited by David Moore, Lorna A. Casselton, David A. Wood & Juliet C. Frankland 132
———.—book review of *Poisonous Mushrooms of the Northern United States and Canada*, by Joseph F. Ammirati, James A. Traquair & Paul A. Horgen 25
Haplopappus: acaulis 94; *pygmaeus* 152

HARTMAN, RONALD L. & MEREDITH A. LANE, A new species of *Machaeranthera* section *Psilactis* (Asteraceae: Astereae) from coastal Texas 253–257
HAYDEN, W. JOHN, The identity of the genus *Neowawraea* (Euphorbiaceae) 268–277
Hechtia 37–43, 109; *argentea* 37; *elliptica* 37; **fragilis** 37, **40**, 41, fig. 41; *glomerata* 37, 41; *lundelliorum* 40; **lyman-smithii 37**–41, fig. 38; *melanocarpa* 37; *mexicana* 37, 43; *scariosa* 37, 42; *schottii* 37, 41; *texensis* 37, 41–43; *tillandsioides* 40; *zacatacae* 37, 42, 43
Hedwigia 51, 53; *rhoifolia* 53
Hedyotis 248, 250; *alexanderae* 248–250; *brevipes* 248; *mucronata* 248; *nigricans* 362; *peninsularis* 248; *saxatilis* 248
Hedysarum: boreale 91; *mackenzii* 91
Helianthus hirsutus 362
Helicoblepharum 213
Heliotropium tenellum 362
Hemicrepidospermum 51, 53, 55; *cuneifolium* 51, 53, 55; *rhoifolium* 51, 53
Hemiragis 213
HENDERSON, ANDREW. See Balslev & Henderson 1–6
Henriettella venosa 159, 164
Hepaticae 175–179
Hesperaster: nudus 157; *strictus* 154
Heterotheca 379–386; sect. *Ammodia* 379, 381; sect. *Phyllotheca* 379; **barbata 379**; *bolanderi* 383; *canescens* 383; *fulcrata* 379–381, fig. 381, var. **arizonica** 379, **380**, 381, fig. 381, var. *fulcrata* 380, 381, fig. 381, var. **senilis** 379, **380**, fig. 381; *gypsophila* 383; *horrida* 381, subsp. **cinerascens** 379, **381**, 384, 385; *mexicana* 383, 385; *mucronata* 383; *oregona* 379, 381–383, var. **compacta** 379, **382**, var. *oregona* 382, var. **rudis** 379, **382**, var. **scaberrima** 379, **383**; **pumila** 379, **383**; *rutteri* 383; *villosa* 156, 383, var. *hispida* 379, var. **pedunculata** 379, **383**; **zionensis** 379, 381, **384**, fig. 384, 385
Heterotoma 417, key 417; *macrocentron* 417, 418
Heuchera: bracteata 152; *parvifolia* 152, var. *nivalis* 152; *rubescens* 88, 91
Hieracium 320; *albiflorum* 150; *gracile* 150; *rusbyi* 243
Hispaniola: *Mecranium* 192–197
HOLMGREN, NOEL H., *Cercocarpus ledifolius* var. *intermontanus* (Rosaceae), a new varietal name for the Intermountain curl-leaf mountain-mahogany 423–427
———, Two new species of *Potentilla* (Rosaceae) from the Intermountain Region of western U.S.A. 340–344
Holodiscus dumosus 415, var. *glabrescens* 94
Homalium 438
Hookeria 211, 216; sect. *Callicostella* subsect. *Thamniopsis* 218; *acicularis* 219; *acuminata* 217; *adunca* 220; *angolensis* 219; *asprella* 220; *belangeriana* 221; *caldensis* 218; *capillata* 222; *cheiloneura* 218; *cirrhosa* 221; *crispa* 219; *cruegeriana* 218; *curvifolia* 220; *cuspidata* 217; *depressula* 221; *diffusa* 218; *dimorpha* 220; *drepanophylla* 218; *falcata* 220; *falcatula* 220; *fissidentoides* 217; *fluminensis* 217; *glaziovii* 218; *gracilis* 220; *guadalupensis* var. *longifolia* 220; *hahniana* 221; *harrisii* 220; *herminieri* 221, var. *rubella* 221; *hornschuchiana* 218; *hypnacea* 220; *hypniformis* 220; *langsdorffii* 218; *luteo-viridis* 218; *macropyxis* 219; *obliquicuspis* 222; *pappeana* 219; *parkeriana* 218; *pernutans* 220; *planiuscula* 221; *plumicaulis* 221; *purpurea* 219; *purpureophylla* 219; *repens* 220; *riparia* 223; *rorida* 222; *rufa* 220; *rugulosa* 218; *saprophila* 218; *scabrella* 220; *secunda* 219; *sinuata* 219; *subaurescens* 220; *subfalcata* 220; *subsecunda* 221; *tenera* 221; *tenuis* 220; *terrestris* 219; *undatula* 219; *utacamundiana* 219; *vaga* 221; *variabilis* 221; *velutina* 220; *versicolor* 220; *viridissima* 220
Hookeriaceae 210, 211, 214, 215
Hookeriales 210–224; Ephemeropsidineae 210; Hookeriineae 210; Hypopterygiineae 210; Nematacineae 210
Hookeriopsis 210, 213, 215–217, key 217; *callicostelloides* 217; *cubensis* 221; *cuspidata* 217; *geminidens* 219; *heteroica* 220; *laevinervis* 217; *leiophylla* 216; *longiseta* 220; *luteorufescens* 216; *maguirei* 218; *mittenii* 219; *obtusifolia* 218; *panamensis* 217; *parkeriana* 216; *schiffneri* 219; *subincurva* 218; *versicolor* 219; *websteri* 218
Hordeum jubatum 91
Houstonia 248, 250; *australis* 248; *brevipes* 248; *mucronata* 248–250, fig. 251; *peninsularis* 248
Huertea cubensis 23
Hunga 364, 366; *fusicarpa* 364, 366
Hybridization in the babassu palm complex. II. *Attalea compta* × *Orbignya oleifera* (Palmae), by Michael J. Balick, Anthony B. Anderson & Judas Tadeu de Medeiros-Costa 26–36
Hydrophyllaceae 260, 261, 415
Hydrophyllum capitatum 91
Hylaeanthe 139
Hymenopappus 157, 158; *filifolius* var. *polycephalus* 155; *polycephalus* 155
Hymenoxys: acaulis var. *caespitosa* 152; *grandiflora* 152
Hypericum: frondosum 362; *sphaerocarpum* 362
Hypnaceae 210, 212, 215
Hypnella 213, 214
Hypnum: guadalupense 220; *langsdorffii* 218
Hypopterygiaceae 210, 211
Hypopterygium 211
Hypoxis: erecta 91; *hirsuta* 91
Hyptis blanchetii 198
Icica 53; *goudotiana* 51, 53
Identity of *Lithophytum* (Loganiaceae, Plocospermeae), by Fernando Chiang & Dawn Frame 260–262
Identity of the genus *Neowawraea* (Euphorbiaceae), by W. John Hayden 268–277
Identity of *Ynesa colenda* (Palmae), by Henrik Balslev & Andrew Henderson 1–6
Index to collectors and type specimens represented in the portion of Hobart and William

Smith Colleges Herbarium (DH) deposited at New York Botanical Garden (NY) in 1983, by John F. Pruski 238–244
Index to plants collected on Howard Stansbury's expedition to the Great Salt Lake, 1849–1850, by Arnold Tiehm 86–95
Index to the authors and their papers in volumes 1–38 (1931–1986) of Brittonia, by Arnold Tiehm 460–507
Indigofera 405
Inga 197; sect. *Euinga* 197
Inocybe 406; subg. *Inocybe* 406; subg. *Inosperma* 406; subg. *Mallocybe* 406; *calamistrata* 406
Instructions to contributors 145–148
Ipomoea 254; sect. *Calonyction* 110; sect. *Exogonium* 110, 111; sect. *Jalapae* 109, 110; *dumetorum* 110, key 111; *emetica* 110, key 111; *hederacea* var. *integriuscula* 243; **miquihuanensis** 106, fig. 109, **110**, key 111; *rupicola* 108, 109; *simulans* 110, key 111; **zimmermanii** 106, **108**–110, fig. 109
Ipomopsis: laxiflora 154; *pulchella* 91
IRWIN, HOWARD S. & RUPERT C. BARNEBY, Novelties in *Chamaecrista* section *Absus* (Caesalpiniaceae) 7–10
Isopterygium **plumicaule** 210, **221**
Ixocactus 447, 456; *hutchisonii* fig. 457
Jatropha 109
JONES, ALMUT G. See Lamboy & Jones 284–297
Juncus: balticus 92; *biglumis* 66; *confusus* 156; *exilis* 156
Juniperus 458; *deppeana* 265; *virginiana* 362
KALLUNKI, JACQUELYN A. & JULIAN A. STEYERMARK, A new species of *Raveniopsis* (Rutaceae), a genus new to Brazil 409–411
KEELEY, STERLING C., Two new species of *Vernonia* (Asteraceae: Vernonieae) from Panama 44–48
KELSO, SYLVIA, *Primula tschuktschorum* and *Primula eximia* (Primulaceae: section *Crystallophlomis*): a distylous species and its homostylous derivative from the Bering Strait region, Alaska 63–72
KENNEDY, HELEN & DAN H. NICOLSON, Nomenclatural notes on neotropical Marantaceae 139–140
Kielmeyera reticulata 198
Koeleria cristata 92
Koenigia islandica 70
Kostermanthus 364
Krameria 198–200; **bahiana 198**–200, fig. 199; *grandiflora* 200; *spartioides* 200
Krameriaceae 198–200
KUIJT, JOB, Miscellaneous mistletoe notes, 10–19 447–459
Labiatae: See Lamiaceae
LAMBOY, WARREN F. & ALMUT G. JONES, Corrected author citation for the combination *Aster* section *Biotia* (Asteraceae) 284–285
——— & ———, Lectotypifications and neotypifications in *Aster* section *Biotia* (Asteraceae), including a complete annotated synonymy 286–297
Lamiaceae 164, 198, 243
LANDRUM, LESLIE R., A new species of *Campomanesia* (Myrtaceae) from Brazil 245–247
LANE, MEREDITH A. See Hartman & Lane 253–257
Laphamia stansburyi 88, 92
Layia glandulosa 92
Leandra 441; *anisophylla* 163; *cogniauxii* 441; *pulverulenta* 161; *purpurascens* 441
Lectotypifications and neotypifications in *Aster* section *Biotia* (Asteraceae), including a complete annotated synonymy, by Warren F. Lamboy & Almut G. Jones 286–297
Leguminosae (see also Caesalpiniaceae; Fabaceae; Mimosaceae) 130–132, 188–191, 198, 277, 405; Caesalpinioideae 405; Mimosoideae 130–132, 405; Papilionoideae 405
Lejeuneaceae 175–179
LEMKE, DAVID E., Tribal relationships of *Bartholomaea* (Flacourtiaceae) 436–439
Lentinula edodes 132
Lepidium: divergens 154; *ramosissimum* 154
Lepidocarpa costata 308
Lepidopilidium 213
Lepidopilum 210, 213, 222; *albescens* 223; *darntyi* 219; *macropus* 219; *purpuratum* 219; *subtortifolium* 222; *tortifolium* 210, 223; *versicolor* 219
Leskea undata 219
Leskeodon 212
Leskeodontopsis 212
Lesquerella 415; *congesta* 412; *parviflora* 412
Letter from Dr. Gleason 205–209
Leucodontaceae 215
Leucomiaceae 210–212, 214
Leucomium 212
Licania 364, 366; **fusicarpa** 364, **366**; *palawanensis* 366; *splendens* 366
Linosyris: serrulata 88, 92; *viscidiflora* var. *serrulata* 88, 92
Linum: arkansanum 154; *rigidum* var. *berlandieri* 154
Lithophytum 260–262; *violaceum* 260, 261
Lithospermum circumscissum 92
Lloydia serotina 153
Lobelia 417–422, key 417; **knoblochii** 417, key 418, fig. 419, **420**–422; **macrocentron** 417, key 417, **418**, fig. 419, 420; **mcvaughii** 417, key 418, fig. 419, **421**, 422; **villaregalis** 417–**419**, key 417, fig. 419, 420
Loganiaceae 260–262; Gelsemieae 261; Plocospermeae 260–262
Lomatium: concinnum 155; *triternatum* var. *platycarpum* 93
Lonchocarpus 405
Lophostachys 136
Loranthaceae 447–450, 452–456, 458
Loranthus 454; *anomalus* 447, 454, 455; *mexicanus* 458
LORENCE, DAVID H. & MICHAEL NEE, *Randia retroflexa* (Rubiaceae), a new species from southern Mexico 371–375
LOTT, EMILY J., *Croton chamelensis* (Euphor-

biaceae), a new species from coastal Jalisco, Mexico 302–305
Ludwigia curtissii 243
Lunania 436
Lupinus 405; *albicaulis* 92; *argenteus* 92
LUTEYN, JAMES L.—book review of *Manual of Cultivated Trees and Shrubs Hardy in North America,* by Alfred Rehder 352
———.—book review of *Sichuan Rhododendron of China,* edited by Fang Wenpei 439
———.—book review of *The Manual of Cultivated Orchid Species, Revised Edition,* by Helmut Bechtel, Phillip Cribb & Edmund Launert 174
Lycium 112–119, 121, 122, 124–129; sect. *Lycium* 125, key 127; sect. *Mesocope* 125, key 127; sect. *Schistocalyx* 116, 125, key 127; sect. *Sclerocarpellum* 125, key 127; *ameghinoi* 112, 114, 116, 117, 119, 125, fig. 126, 127; *americanum* 112, fig. 115, 117, 118, fig. 119, 125, fig. 126; *argentinum* 125; *californicum* 112, 116, 119; *cestroides* 112–114, 116, fig. 117, 118, fig. 121, 125, fig. 126; *chanar* 116, 119; *chilense* 112, 116, 117, fig. 118; *ciliatum* 112, 116–118, 125, fig. 126; *cuneatum* 113, 116, 119; *cyathiformum* 118; *deserti* 119; *distichum* 116, 119; *elongatum* 113, 117, 118, 125; *fremontii* 124; *fuscum* 116, 119; *gilliesianum* 113, 116, 119, 125, fig. 126; *glomeratum* 113, 119; *halimifolium* 122; *humile* 119; *infaustum* 117, 118; *leiostemum* 116, 117, 119; *martii* 113, 119; *minimum* 116, 117, 119; *minutifolium* 119; *morongii* 113, 117, 119, 125, fig. 126; *nodosum* 118, 125, fig. 126; *pubitubum* 119; *rachidocladum* 118; *repens* 116, 117, 119; *schreiteri* 116, 118, fig. 126, 127; *stenophyllum* 116, 119; *tenuispinosum* 113, 118; *vimineum* 113, 118
Lycopersicon 125
Lycopodium carolinianum 144
Lygodesmia juncea 92
Lyonia rubiginosa 196
MAAS, HILTJE & PAUL J. M. MAAS, A new *Thismia* (Burmanniaceae) from French Guiana 376–378
MAAS, PAUL J. M. See H. Maas & Maas 376–378
Macairea 441, 445
Machaeranthera 90, 158, 253–257; sect. *Psilactis* 253–257; *coulteri* 255; *crispa* 255; *grindelioides* 415; **heterocarpa 253**–257, figs. 254–256, key 257; *tenuis* 253, figs. 255 & 256, 255–257, key 257
Macromitrium 235
Macroptilium 405
Macrosiphonia 261
Madia 284; *viscosa* 284
Mahonia aquifolium 89
Malacothrix: sonchoides 92; *torreyi* 92
Malvastrum coccineum var. *grossulariaefolium* 87, 88, 92
Manfreda virginica 362
Manihot glaziovii 224
Maracanthus 447, 452–454, 456; *pedunculatus* 454; **pusillus** 447, **452**–454, fig. 453
Maranta 139
Marantaceae 139–140
Margaritaria 268, 273, 274
Marila 133, 136; *laxiflora* 136; *verapazensis* 136
Markleya 35; *dahlgreniana* 35
Martinella 133, 137; *obovata* 137
Maximiliana 1, 5, 35, 36; *maripa* 35
MCDONALD, J. ANDREW, Three new species of Convolvulaceae from northeast Mexico 106–111
Mecranium 192–197; **neibense 192**–197, figs. 193 & 195; *puberulum* 192, 196
Mecranium neibense (Melastomataceae), a new species from Hispaniola, by James D. Skean, Jr. 192–197
MEDEIROS-COSTA, JUDAS TADEU DE. See Balick, Anderson & Medeiros-Costa 26–36
Meisner, Carl Friedrich, type specimens of *Polygonum* 96–105
MEJÍA, M. See Read, Zanoni & Mejía 20–25
Melastomataceae 159–164, 192–197, 441–446, 452; Miconieae 192–197, 441; Microlicieae 444; Tibouchineae 441–446
Melia azedarach 363
Meliococca 297
Melipona 444
MENAPACE, FRANCIS J. & DANIEL E. WUJEK, The systematic significance of achene micromorphology in *Carex retrorsa* (Cyperaceae) 278–283
Menispermaceae 258–259; Anomospermeae 258; Cocculeae 258; Triclisieae 258
Mentzelia: albicaulis 92; *argillosa* 415; *aurea* 154; *humilis* 155; *laevicaulis* 92; *multicaulis* 154; *multiflora* 155; *nuda* 154; *ornata* 92; *rusbyi* 155; *speciosa* 154
Meriania: **crassiramis 159**; *involucrata* 196; *neblinae* 159; *ornata* 159; *sclerophylla* 159; *urceolata* 159
Merremia: sect. *Schizips* 107; *aurea* 107, 108; **austinii 106**–108, fig. 107; *dissecta* 108; *palmeri* 107, 108; *platyphylla* 108; *tuberosa* 106–108
Mertensia 157; *bakeri* var. *osterhoutii* 156; *clokeyi* 155; *drummondii* 92; *lanceolata* var. *secundorum* 155; *media* 155; *viridis* 152, var. *parryi* 152
Mesosetum 306–308; sect. *Bifaria* 306; **alatum 306**–308, fig. 307; *compressum* 306, 308; **longiaristatum** 306–**308**, fig. 307
Mexico: *Acacia* 130–132; *Arbutus* 263–267; *Begonia* 59–62; *Carterella* 248–252; Convolvulaceae 106–111; *Croton* 302–305; *Habenaria* 402–404; *Lobelia* 417–422; *Mimosa* 345–347; *Randia* 371–375
MICKEL, JOHN T., New species of *Elaphoglossum* (Elaphoglossaceae) from northern South America 313–339
Miconia 161, 196; **aliquantula** 159, **161**; *duckei* 161; *fanshawei* 161; *seticaulis* 161
Microseris nutans 155
Miltitzia pinnatifida 156
Mimosa 49, 165–174, 345–347, 405; sect. *Habbasia* 165, 167, 171; ser. *Asperatae* 167, 171, 173; ser. *Rubicaules* 167; ser. *Stipellares* 173;

acantholoba 347; *aculeaticarpa* 345, 346; *adenocarpa* 165, 167, 173; *affinis* 347; **aureliana 165**–167, fig. 166, 173; *benthamii* 347; *brachycarpa* 50; *camporum* 171, 347; *carvalhoi* 198; **castanoclada** 165, **167**–169, fig. 168; **chacoënsis** 165, **169**–171, fig. 170, 347; *coerulea* 347; *detinens* 167, 169; *diplotricha* 49, 50; *farinosa* 167–169; *galeottii* 347; *inamoena* 165, 167, 173; *invisa* 49, 50; *lacerata* 347; *lewisii* 198; *miranda* 171, 347; **nanchititlana 345**–347, fig. 346; *neptunioides* 169, 171; *orthocarpa* 171, 173; *paraguariae* 171, 173; *pigra* 347; *platycarpa* 347; *rhodostachya* 49, 50; *rojasii* 169, 171; **tobatiensis** 165, **171**–173, fig. 172; *uliginosa* 171, 173

Mimosaceae (see also Leguminosae) 49–50, 165–174, 345–347; Mimoseae 40

Mimosa nanchititlana, a new species from the state of México, Mexico (Mimosaceae), by Rosaura Grether & Rupert C. Barneby 345–347

Mimosopsis 345, 347

Minuartia obtusiloba 153

Mirabilis: linearis 154; *multiflora* var. *multiflora* 156

Miscellaneous mistletoe notes, 10–19, by Job Kuijt 447–459

Mistletoe 447–459

Mittenothamnium 218

Monardella odoratissima 415

Monothrix 92; *stansburiana* 88, 92

Moraceae 133, 137

MORI, SCOTT A.—book review of *Insects and the Plant Surface,* edited by Barrie Juniper & Sir Richard Southwood 440

———.—book review of *Plant Breeding Systems,* by A. J. Richards 142–143

———.—book review of *Tropical Rain Forests and the World Atmosphere,* edited by Ghillean T. Prance 309–310

——— & FLORA CASTAÑO FERREIRA, A distinguished Brazilian botanist, João Barbosa Rodrigues (1842–1909) 73–85

Mountain-mahogany, Intermountain curl-leaf 423–427

Musa 297

Musci 225–237

Myrceugenia 247

Myrsine coriacea 196

Myrtaceae 245–247

Mystrops 5, 6

Napeanthus 133, 137; *bracteatus* 137; *saxicola* 137

NEE, MICHAEL—book review of *The Cactus Primer,* by Arthur C. Gibson & Park S. Nobel 507

———.—book review of *The History and Social Influence of the Potato,* by R. N. Salaman; Revised impression, edited and with a new introduction by J. G. Hawkes 48

———. See Lorence & Nee 371–375

Nemataceae 210

Nenax 312

Neopringlea 436, 438

Neowawraea 268–277; *phyllanthoides* 268

NEVLING, LORIN I., JR. See Barringer & Nevling 428–431

New and noteworthy South American species of *Agalinis* (Scrophulariaceae), by Kerry Barringer 353–357

New *Habenaria* (Orchidaceae) from Belize and Mexico, by Paul M. Catling 402–404

New Mexico: *Astragalus* 188–191

New names, combinations, and lectotypifications in *Heterotheca* (Compositae: Astereae), by John C. Semple 379–386

New species of *Astragalus* (Fabaceae) from Tennessee's Central Basin, by Rupert C. Barneby & Edwin L. Bridges 358–363

New species of *Astragalus* (Leguminosae) from northwestern New Mexico and adjacent Arizona, by Rupert C. Barneby & Richard Spellenberg 188–191

New species of *Campomanesia* (Myrtaceae) from Brazil, by Leslie R. Landrum 245–247

New species of *Elaphoglossum* (Elaphoglossaceae) from northern South America, by John T. Mickel 313–339

New species of *Gynoxys* (Asteraceae: Senecioneae) from northern Peru, by Abundio Sagástegui-Alva & Carolina Tellez-Alvarado 432–435

New species of *Krameria* (Krameriaceae) from Bahia, Brazil, by Beryl B. Simpson 198–200

New species of *Machaeranthera* section *Psilactis* (Asteraceae: Astereae) from coastal Texas, by Ronald L. Hartman & Meredith A. Lane 253–257

New species of *Raveniopsis* (Rutaceae), a genus new to Brazil, by Jacquelyn A. Kallunki & Julian A. Steyermark 409–411

New species of *Schoenobiblus* (Thymelaeaceae) from Venezuela, by Kerry Barringer & Lorin I. Nevling, Jr. 428–431

New *Thismia* (Burmanniaceae) from French Guiana, by Hiltje Maas & Paul J. M. Maas 376–378

NICOLSON, DAN H. See Kennedy & Nicolson 139–140

Nicotiana 125

Nierembergia 124; *hippomanica* 124

Niphaea 137

Nomenclatural notes on neotropical Marantaceae, by Helen Kennedy & Dan H. Nicolson 139–140

North America: *Carex acuta* 11–19

Notanthera 447, 456; *heterophylla* fig. 457

Note on *Mimosa invisa* C. Martius ex Colla and *M. invisa* C. Martius (Mimosaceae), by Rupert C. Barneby 49–50

Notes on Melastomataceae of the Guianas, by John J. Wurdack 159–164

Notholaena lemmoni 243

Notulae de Chrysobalanaceis Malesianis Praecursoriae, by Ghillean T. Prance 364–370

Novelties in *Chamaecrista* section *Absus* (Caesalpiniaceae), by Howard S. Irwin & Rupert C. Barneby 7–10

Nuttallia: hastata 155; *marginata* 155; *multicaulis* 154

Nyctaginaceae 243
Obione: canescens 92; *confertiflora* 92
Ocotea 24
Oenothera: albicaulis 92; *alyssoides* var. *villosa* 88, 92; *caespitosa* 93, var. *crinita* 93, var. *marginata* 93; *scapoidea* 93
O'KANE, STEVE L., JR. & JOHN L. ANDERSON, *Penstemon debilis* (Scrophulariaceae): a new species from Colorado endemic to oil shale 412–416
Oldenlandia 248, 250
Onagraceae 243
Onosmodium molle subsp. *molle* 362
On the mountain top with Mr. Osterhout, by Roger L. Williams 149–158
Opiliaceae 455
Opuntia 387–401; subg. *Cylindropuntia* 387–401; sect. *Cylindropuntia* 397, 398; *acanthocarpa* 391, 392, fig. 394, 397; *bigelovii* 398, 399; *fulgida* 387, 388, 391–399, figs. 392, 393 & 394, map 397, var. *fulgida* 388, 391, var. *mamillata* 388, 391; *imbricata* 392; ×*kelvinensis* 387–401, figs. 393 & 394, map 397; *leptocaulis* 392, 397; *spinosior* 387, 388, 391–397, 399, figs. 392, 393 & 394, map 397
Orbignya 5, 26, 27, 31, 35, 36; *oleifera* 26–36, figs. 28 & 33–35; *phalerata* 6, 26, 35
Orchidaceae 78, 174, 402–405
Orchids 73, 78, 83, 85, 174, 262
Oreocarya 157, 158; *breviflora* 156; *monosperma* 155; *procera* 155; *stricta* 156
Oreoxis 152; *alpina* 152
Orobanche 164
Oryctanthus alveolatus 457
Oryctina 456
Oryzopsis hymenoides 91
Ossaea: acuminata 196; *lima* 196
Osterhout, George E. 149–158, fig. 150, bibliography 157–158
Oxalidaceae 133–136, 138
Oxalis priceae subsp. *priceae* 362
Oxybaphus glaber 243
Oxymeris pulverulenta 161
Oxyria digyna 152
Oxytropis lambertii 93
Palmae: See Arecaceae
Palm(s) 73, 78, 81–83; African oil 6; babassu 26–36
Panama: *Vernonia* 44–48
Panicum: flexile 362; *littorale* 243
Paraguay: *Mimosa* 165–174
Parastemon 364; **grandifructus** 364, **366**, fig. 367; *urophyllus* 366; *versteeghii* 366
Parinari 366–370; *anamensis* 368; *bicolor* 366–368; *capensis* 369; *costata* 364, 366–368, key 368, subsp. *costata* 368, key 368, subsp. **polyneura 368**, key 368, subsp. **rubiginosa 368**, key 368, var. *rubiginosum* 368; *curatellifolia* 369; *helferi* 368; *nonda* 369; *papuana* 364, 369, 370, subsp. *papuana* 369, subsp. **salomonensis 369**, subsp. **whitei 369**, 370; *polyneura* 366–368; *rubiginosa* 366–368; *salomonensis* 369; *sumatrana* 368
Parishella californica 243
PARK, CHONG-WOOK, Type specimens of *Polygonum* (Polygonaceae) in the Meisner herbarium at the New York Botanical Garden 96–105
Parnassia: fimbriata var. *fimbriata* 154; *rivularis* 154
Paronychia pulvinata 152
Pedicularis pennellii 66
Pediomelum subacaule 362
Penstemon 412–416; subg. *Habroanthus* 415; sect. *Coerulei* 412, 415, 416; sect. *Glabri* 412, 415; sect. *Penstemon* 412, 415; *bracteatus* 416; **debilis 412–416**, fig. 413, map 414; *fremontii* 415; *grandiflorus* 93; *harbourii* 416; *osterhoutii* 156; *pallescens* 156; *stenosepalus* 150; *uintahensis* 415; *whippleanus* 150, 151, 156
Penstemon debilis (Scrophulariaceae): a new species from Colorado endemic to oil shale, by Steve L. O'Kane, Jr. & John L. Anderson 412–416
Pereskia 507
Perityle stansburyi 92
Peru: *Gynoxys* 432–435
Petunia 125
Peucedanum: biternatum 88, 93, var. *platycarpum* 88, 93; *citernatum* 88, 93, var. *platycarpum* 88, 93
Phaca mollissima var. *utahensis* 88, 93
Phacelia 157, 415; *denticulata* 155; *formosula* 155; *ivesiana* var. *ivesiana* 156; *linearis* 91
Phaeomarasmius 406
Phaseolus 405
Pheidole minutula 162
Phellopterus macrocarpus 155
Philophyllum 213
Phlox: hoodii 93; *longifolia* 93; *pulvinata* 152
Phoradendron 452, 456, 457; *juniperinum* 457
Phrodus 112, 118, 122, 124–128, fig. 126, key 128; *microphyllus* 113, figs. 121 & 123
Physalis lanceolata 93
Physaria 415; *australis* 93; *didymocarpa* 93; *obcordata* 412
Physocarpus alternans 94
PICKETT, S. T. A. & W. P. CARSON—book review of *Ecology: Individuals, Populations and Communities*, by M. Begon, J. L. Harper & C. R. Townsend 407–408
Pilotrichaceae 210, 213
Pilotrichidium 213
Pilotrichum mexicanum 215
Pinaceae 457
PINKAVA, DONALD J. See Baker & Pinkava 387–401
Pinus 265; *occidentalis* 196
Plantae Uxpanapae III. A new species of *Biophytum* (Oxalidaceae) and five genera new for the Mexican flora, by Tom Wendt 133–138
Plocosperma 260, 261; *anomalum* 260, 261; *buxifolium* 260, 261; *microphyllum* 260, 261
Plocospermaceae 260, 261
Poaceae 243, 306–308, 311, 405, 415; Paniceae 306–308
Podocarpaceae 457
Podocarpus 456, 458

Poinsettia dentata 362
Polemonium viscosum 152
Polygonaceae 96–105, 209
Polygonatum canaliculatum 93
Polygonum 96–105; *acetosum* β *elatius* 97; *acre* β *breviciliatum* 97, α *confertiflorum* 97, δ *majus* 97, β *riparium* 98, α *setigerum* 98, γ *submuticum* 98; *acuminatum* ϵ *brachystemon* 98, ζ *microstemon* 98; *affine* β *elatum* 98; *afghanicum* 98; *alpestre* 104; *ambiguum* 98; *ammannioides* 104; *amplexicaule* 102; *argyrocoleon* 99, 101; *assamicum* 98; *attenuatum* β *celebicum* 98; *aviculare* δ *angustissimum* 98; *barbatum* γ *glabratum* 98, β *hirtellum* 98, var. *stagninum* 99, 103, α *vulgare* 98; *bistorta* ϵ *nana* 98; *bistortoides* 152; *blumei* α *brevisetum* 98, β *longisetum* 99; *borneense* 99; *brevisetum* 99; *californicum* 99; *camporum* 99, α *boreale* 99; *celebicum* 98; *chinense* δ *intermedium* 99, ϵ *subhastatum* 99; *cliffortioides* 99; *coarctatum* α *majus* 99; *conspersum* 99; *criopolitanum* 104; *cunninghamii* 99; *debile* 99, β *hastatum* 99, α *triangulare* 99; *deciduum* 99; *delicatulum* 99; *densiflorum* 99, α *imberbe* 100; *dichotomum* 102; *donii* 100; *dumosum* 104; *effusum* 100, γ *tenellum* 100; *ehrenbergii* 100; *emodi* 100; *equisetiforme* 100; *exiguum* 100; *filicaule* γ *alpestre* 100, α *caespitosum* 100, β *extenuatum* 100; *frondosum* 100; *glabrum* β *glandulosissimum* 100, α *obscurum* 100; *glutinosum* 100; *gramineum* 101; *herniarioides* α *floribundum* 101, γ *illecebroides* 101; *hookeri* 101; *humile* 101; *hydropiper* f. *gramineum* 101, var. *hispidum* 100; *jucundum* 101; *lapathifolium* var. *lanatum* 100; *lemannianum* 101; *ludovicianum* 101; *luzuloides* 104; *micranthum* 101; *microcephalum* β *glabrum* 101; *minus* subsp. *micranthum* 101; *miquelianum* 101, 243; *molliaeforme* 104; *muricatum* 101; *neglectum* 98; *nepalense* δ *nanum* 101, β *scabridum* 101; *nodosum* β *sakuratade* 101; *noeanum* 101; *nummularifolium* 101; *oxyphyllum* 102; *paniculatum* var. *frondosum* 100, var. *rude* 103; *paronychioides* 101; *pedunculare* γ *lanceolatum* 102, α *latifolium* 102, β *subauriculatum* 102, β *subcordatum* 102; *perforatum* α *hispidulum* 102; *peruvianum* 102; *phytolaccaefolium* 104; *plebeium* 99, 100; *poiretii* 102; *polycnemoides* 104; *polystachyum* β *pubescens* 102; *portoricense* 100; *pterocarpum* 102; *pubescens* β *elongatum* 102; *punctatum* var. *breviciliatum* 97, var. *confertiflorum* 97, var. *riparium* 98; *quadrifidum* 102; *radicosum* 102; *repens* β *macilentum* 102, α *pingue* 102; *robustius* 97; *roxburghii* γ *spathulatum* 102, ϵ *subexertum* 102; *rude* 103; *sagittatum* α *genuinum* 103, β *indicum* 103, β *stamineum* 103; *segetum* 101, 103; *senticosum* 103, var. *senticosum* 103; *serpyllaceum* 102; *sibiricum* γ *nanum* 103, β *thomsonii* 103; *sphaerocephalum* 103; *sphaerostachyum* β *elatius* 103, α *globuliferum* 103; *stagninum* 103; *stoloniferum* 104; *strictum* α *subcontinuum* 103; *strigosum* 103; *thunbergii* var. *thunbergii* 99, 104; *tomentosum* β *denudatum* 103, δ *glandulosum* 103, α *sericeo-velutinum* 103, γ *strigillosum* 103; *vaccinifolium* γ *flagelliforme* 103, β *medium* 104, α *obtusifolium* 104; *viscosum* α *ramosissimum* 104, β *vernicosum* 104; *wallichii* 104; *zippelii* 104
Portulacaceae 243
Potentilla 340–344; sect. *Aureae* 341; sect. *Concinnae* 343; sect. *Subjugae* 343; **angelliae** 340, **342–344**, fig. 343; *bicrenata* 340, 343, 344; *concinna* 342; **cottamii 340–342**, fig. 341, key 341, 344; *crinita* 340, 342, 343; *diversifolia* 153, 342; *effusa* var. *rupincola* 154; *frigida* 340, 342; *hippiana* 342; *hyparctica* 340–342, key 341; *nivea* 152, 341; *robbinsiana* 340–342, key 341; *rupincola* 154; *subjuga* 340, 343; *uniflora* 152
PRANCE, GHILLEAN T.—book review of *Gene Banks and the World's Food*, by Donald J. Plucknett, Nigel J. H. Smith, J. T. Williams & N. Murthi Anishetty 224
———.—book review of *Handbook of Northeastern Indian Medicinal Plants*, by James A. Duke 508
———.—book review of *Isthmian Ethnobotanical Dictionary, Third Edition*, by James A. Duke 283
———.—book review of *Medicinal Plants in Tropical West Africa*, by Bep Oliver-Bever 19
———.—book review of *Notes on Economic Botany of China*, by Augustine Henry 363
———.—book review of *Plant Genetic Resources: an Introduction to their Conservation and Use*, by Brian Ford-Lloyd & Michael Jackson 237
———.—book review of *The Botany of Mangroves*, by P. B. Tomlinson 10
———.—book review of *The First Resource: Wild Species in the North American Economy*, by C. & R. Prescott-Allen 427
———.—book review of *Toward a More Sustainable Agriculture*, by Raymond P. Poincelot 305
———.—book review of *Tropical Fruits, Second Edition*, by J. A. Samson 297
———, Notulae de Chrysobalanaceis Malesianis Praecursoriae 364–370
Preliminary account of *Colura* (Hepaticae, Lejeuneaceae) in Australia, by Barbara M. Thiers 175–179
Prestoea 24; *montana* 23, 24
Primula 63–72; sect. *Crystallophlomis* 63, key 64; sect. *Nivales* 63; *angustifolia* 152; *arctica* 66; *beringensis* 65, 69; *eximia* 63, 64, 66–71, key 64, fig 68, map 69; *macounii* 66; *nivalis* 63, 64, var. *pumila* 63, 66; *pumila* 64, var. *arctica* 66, var. *ledebouriana* 65, 66; *rusbyi* 243; *tschuktschorum* 63–67, key 64, fig. 65, map 67, 69–71, var. *arctica* 66, subsp. *beringensis* 65, subsp. *cairnesiana* 66, subsp. *eximia* 66, var. *pumila* 66, subsp. *tschuktschorum* var. *beringensis* 65, 69

Primulaceae 63–72, 243
Primula tschuktschorum and *Primula eximia* (Primulaceae: section *Crystallophlomis*): a distylous species and its homostylous derivative from the Bering Strait region, Alaska, by Sylvia Kelso 63–72
Prosopis glandulosa 254
Protium divaricatum var. *divaricatum* 53
PRUSKI, JOHN F., Index to collectors and type specimens represented in the portion of Hobart and William Smith Colleges Herbarium (DH) deposited at New York Botanical Garden (NY) in 1983 238–244
——— & LOWELL E. URBATSCH, *Calea dalyi* (Compositae: Heliantheae), a new species from the Serranía de Santiago, Bolivia 201–204
Pseudocatalpa 136
Pseudocymopterus montanus 94
Psidium 246, 247; *sartorianum* 246
Psittacanthus 447, 454; *cucullaris* 458; **gigas** 447, **454**, fig. 455; *mexicanus* 447, 458
Pteridaceae 10
Ptilocalais tenuifolia 155
Pulvinella 213; *albicans* 214
Purshia stansburiana 90
Puya 434
Pyrostegia cinerea 81
Quamoclidion cordifolium 156
Quercus 265
Randia 371, 374, 375, key 375; subg. *Basanacantha* 374; *guerrerensis* key 375; **retroflexa** 371–375, fig. 372, map 374
Randia retroflexa (Rubiaceae), a new species from southern Mexico, by David H. Lorence & Michael Nee 371–375
Ranunculaceae 415
Ranunculus 285; *adoneus* 152
Raveniopsis 409–411; *abyssicola* 411; **aracaënsis 409**–411, fig. 410; *cowaniana* 409; *fraterna* 411; *linearis* 411; *ruellioides* 411; *sericea* 411
READ, ROBERT W., THOMAS A. ZANONI & M. MEJÍA, *Reinhardtia paiewonskiana* (Palmae), a new species for the West Indies 20–25
REESE, WILLIAM D., *Calymperes* (Musci: Calymperaceae): world ranges, implications for patterns of historical dispersion and speciation, and comments on phylogeny 225–237
Reinhardtia 24; *elegans* 20, 24; **paiewonskiana** 20–25, figs. 21 & 22
Reinhardtia paiewonskiana (Palmae), a new species for the West Indies, by Robert W. Read, Thomas A. Zanoni & M. Mejía 20–25
RENNER, SUSANNE S., *Sandemania hoehnei* (Melastomataceae: Tibouchineae): taxonomy, distribution, and biology 441–446
Reviewers for volume 39 446
Rhizophoraceae 10
Rhododendron 439
Rhus: aromatica 362; glabra 362; *osterhoutii* 155; *trilobata* var. *trilobata* 155
Rhynchospora stipitata 243
Rhynchostegiopsis 212
Ribes lacustre 152
RICO, LOURDES, *Acacia sousae* (Leguminosae: Mimosoideae), a new species from Mexico 130–132
Robinsonella 107
Rodriguezia 73
Rodrigueziella 73
Rodrigueziopsis 73
ROGERSON, CLARK T.—book review of *Host Range and Geographical Distribution of Powdery Mildew Fungi*, by Koji Amano (Hirata) 459
———.—book review of *Vegetable Diseases and Their Control, Second Edition*, by Arden E. Sherf & Alan A. MacNab 378
Rosaceae 243, 340–344, 423–427
Rosa minutifolia 243
Roystonea hispaniolana 24
Rubiaceae 248–252, 312, 371–375; Anthospermeae 312; Gardenieae 371; Hedyotideae 250
Ruellia humilis 362
Rumex 157; *densiflorus* 154; *venosus* 93
Rutaceae 409–411; Rutoideae 409; Cusparieae 409; Cuspariinae 409
SAGÁSTEGUI-ALVA, ABUNDIO & CAROLINA TELLEZ-ALVARADO, A new species of *Gynoxys* (Asteraceae: Senecioneae) from northern Peru 432–435
Sagina intermedia 66
Salix arctica 66
Salpichroa 124
Sandemania 441–446; *glandulosa* 441; *hoehnei* 441–446, figs. 442 & 445, map 444; *lilacina* 441
Sandemania hoehnei (Melastomataceae: Tibouchineae): taxonomy, distribution, and biology, by Susanne S. Renner 441–446
Santalaceae 455
Sapindaceae 348–352
Saponaria 285
Saranthe 139
Sarcobatus vermiculatus 93
Sauloma 213; *tenella* 214
Saxifraga 285; *cernua* 150, 152
Scheelea 5, 35; *butyracea* 1
Schimperobryum 211
Schizomitrium 213, 221, 222; **belangerianum** 210, **221**; **cirrhosum** 210, **221**; *depressum* 210, 221, 222; *pallidum* 210, 221, 222; *rivulare* 222; **subsecundum** 210, **221**
Schizophyllum commune 132
Schmaltzia pubescens 155
Schoenobiblus 428–431; **crassisepala 428**, 429, fig. 429, 431; *daphnoides* 428, 429, 431; *grandifolia* 428, 429; **suffruticosa** 428, **429**–431, fig. 430
Schrankia: brachycarpa 50; *rhodostachya* 50
Sciadotenia 258
Scirpus: pungens var. *longispicatus* 93; *torreyi* 93
Scrophulariaceae 156, 353–357, 412–416
Sedum rosea 153
Selinum grayi 152
Sematophyllaceae 214
SEMPLE, JOHN C., New names, combinations, and lectotypifications in *Heterotheca* (Compositae: Astereae) 379–386
Senecio 434; *anonymous* 362; *fendleri* 154, var. *lanatus* 154; *filifolius* 93; *fremontii* 152; *hookeri* 93; *hydrophilus* (*hidrophilus*) 93; *integer-*

rimus var. *exaltatus* 93; *lanatifolius* 154, 157; *longilobus* 93; *rusbyi* 243; taraxacoides 156, var. *nudatus* 156
Senna 405
Serjania 348–352; Paullinieae 348; sect. *Syncoccus* 350; *caracasana* 350; **fluminensis 348–350**, fig. 349; *noxia* 350; *tenuis* 350, 352; **unidentata** 348, **350–352**, fig. 351
Shepherdia argentea 93
Sida 254; *grossulariaefolia* 92; *malvaeflora* 93; *neomexicana* var. *crenulata* 93
Silene 285; *acaulis* 152, var. *subacaulescens* 152
SIMPSON, BERYL B., A new species of *Krameria* (Krameriaceae) from Bahia, Brazil 198–200
Sirosporium antenniforme 263
Sisymbrium canescens 94
Sisyrinchium bermudiana 94
SKEAN, JAMES D., JR., *Mecranium neibense* (Melastomataceae), a new species from Hispaniola 192–197
Solanaceae 112–129, 260, 261; Cestroideae 124; Solanoideae 112, 113, 124, 127; Lycieae 112–129, figs. 121 & 126, key to genera 127; Nicotianae 124; Solaneae 124
Solanum 124, 125, 196; *demissum* 48; *megistacrolobum* 224; *sessiliflorum* 297; *topiro* 297
Solidago: missouriensis 94, var. *fasciculata* 362; *nemoralis* 362; *spathulata* var. *nana* 153
Sophia glanifera 156
Sophora tomentosa subsp. *bahamensis* 243
SØRENSEN, PAUL D., *Arbutus tessellata* (Ericaceae), new from Mexico 263–267
Sorocea 133, 137; *affinis* 137; *pubivena* 137; *trophoides* 137
South America: *Agalinis* 353–357; *Elaphoglossum* 313–339
SPELLENBERG, RICHARD—book review of *Flora of the Great Plains*, by Great Plains Flora Association 310–311
———. See Barneby & Spellenberg 188–191
Sphaeralcea grossulariaefolia 87, 92
Spiraea: dumosa 94; *opulifolia* var. *pauciflora* 94
STANDLEY, LISA A., Anatomical studies of *Carex cuchumatanensis, C. decidua,* and *C. hermannii* (Cyperaceae) and comparisons with North American taxa of the *C. acuta* complex 11–19
Stansbury, Howard 86–95, fig. 87
Staphidiastrum pulverulentum 161
Stenodesmus 213
Stenodictyon 213
Stenotus caespitosus 94
Stephanomeria: pauciflora 92; *runcinata* 94
STEYERMARK, JULIAN. See Kallunki & Steyermark 409–411
Streptanthus: crassicaulis 88, 94; *sagittatus* 94
Striga 164
Stromanthe 139, 140; sect. *Homalocapsa* 139; *amabilis* 139; *apodantha* 139; *hjalmarssonii* 139; **macrochlamys 139**
Strychnos macrophylla fig. 80
Studies in neotropical Burseraceae I. A synopsis of the genus *Crepidospermum*, by Douglas C. Daly 51–58
Studies in Xyridaceae II. Two new species of *Xyris* from Brazil, by Maria das Graças L. Wanderley & Tania Maria Cerati 298–301
Stylosanthes 405
Suaeda 95; *moquinii* 95; *torreyana* 95
SUTHERLAND, DAVID M.—book review of *Genera Graminum. Grasses of the World*, by W. D. Clayton & S. A. Renvoize 508
Symphonia 136
Symphoricarpos orbiculatus 362
Symphyodontaceae 210, 211
Symplocaceae 434
Symplocos 434
Syrrhopodon 225–228, 235; subg. *Heliconema* 227; *burmensis* 226–228; *ciliatus* 227; *circinatus* 227; *cryptocarpos* 227; *hornschuchii* 227; *incompletus* 226; *mauritianus* 227; *nymanii* 235; *parasiticus* var. *parasiticus* 227; *rigidus* 226, 227; *robustiusculus* 227; *texanus* 227; *xanthophyllus* 226, 227
Systematic significance of achene micromorphology in *Carex retrorsa* (Cyperaceae), by Francis J. Menapace & Daniel E. Wujek 278–283
Talinum confertiflorum 243
Talisia 297
Taraxacum 398
Taxonomic and nomenclatural rearrangement in the Hookeriales with notes on West Indian taxa, by William R. Buck 210–224
TELLEZ-ALVARADO, CAROLINA. See Sagástegui-Alva & Tellez-Alvarado 432–435
Tennessee: *Astragalus* 358–363
Tephrosia 405
TERRELL, EDWARD E., *Carterella* (Rubiaceae), new genus from Baja California, Mexico 248–252
Tetradymia: nuttallii 94; *spinosa* 94
Tetragastris 51
Tetrastichium 213, 214
Texas: *Machaeranthera* 253–257
Thalictrum heliophilum 412, 415
Thamniopsis 210, 213, 216–219, key 217; **cheiloneura** 210, **218**; **cruegeriana** 210, 216, **218**; **diffusa** 210, **218**; **incurva** 210, 216, **218**; *killipii* 218; **langsdorffii** 210, **218**; **pappeana** 210, **219**; *pendula* 218; **purpureophylla** 210, **219**; **secunda** 210, **219**; **sinuata** 210, **219**; **terrestris** 210, **219**; **undata** 210, 216, **219**; **utacamundiana** 210, **219**; **versicolor** 210, **219**
Thaspium montanum 94
Thelypodium sagittatum var. *sagittatum* 94
THIERS, BARBARA M., A preliminary account of *Colura* (Hepaticae, Lejeuneaceae) in Australia 175–179
Thismia 376–378; subg. *Ophiomeris* 378; sect. *Ophiomeris* 376, 378; *panamensis* 378; **saülensis 376–378**, fig. 377
Three new species of Convolvulaceae from northeast Mexico, by J. Andrew McDonald 106–111
Thymelaeaceae 428–431
Thyridium 235
Tibouchina 445
TIEHM, ARNOLD, Index to plants collected on Howard Stansbury's expedition to the Great Salt Lake, 1849–1850 86–95

———, Index to the authors and their papers in volumes 1–38 (1931–1986) of Brittonia 460–507
Tococa 163; *aristata* 161, 163; *caquetana* 163
Touterea multicaulis 154
Townsendia: diversa 156; *incana* 156; *leptotes* 155
Trachyxiphium 210, 213, 216, 217, key 217, 219–221; **aduncum** 210, **220**; **guadalupense** 210, 219, **220**; **heteroicum** 210, **220**; **hypnaceum** 210, **220**; **pernutans** 210, **220**; **subfalcatum** 210, **220**; **tenue** 210, **220**; **vagum** 210, **221**; **variable** 210, **221**
Tragia 254
Tribal relationships of *Bartholomaea* (Flacourtiaceae), by David E. Lemke 436–439
Trichilia 23; *pallida* 24
Trifolium 285; *multicaule* 243
Triglochin maritima 94
Trimeria 436, 438
Tripodanthus 456; *acutifolius* 456; *flagellaris* 456
Tristerix 456
Triteleia grandiflora 94
Trophis 137
Troximon cuspidatum 94
Tschudya pulverulenta 159, 161
Two new species of *Mesosetum* (Gramineae: Paniceae) from Brazil, by Tarciso S. Filgueiras 306–308
Two new species of *Potentilla* (Rosaceae) from the Intermountain Region of western U.S.A., by Noel H. Holmgren 340–344
Two new species of *Serjania* (Sapindaceae) from Brazil, by Pedro Acevedo-Rodríguez 348–352
Two new species of *Vernonia* (Asteraceae: Vernonieae) from Panama, by Sterling C. Keeley 44–48
Tynnanthus igneus 81
Type specimens of *Polygonum* (Polygonaceae) in the Meisner herbarium at the New York Botanical Garden, by Chong-wook Park 96–105
Ulmus alata 362
URBATSCH, LOWELL E. See Pruski & Urbatsch 201–204
Urticaceae 243
Urtica gracilenta 243
UTLEY, JOHN F. See Burt-Utley & Utley 37–43, 59–62
Vaccinium racemosum 196
Vellozia 82
Venezuela: *Schoenobiblus* 428–431
Verbenaceae 260, 261; Lithophytoideae 260, 261
Verbesina virginica 362
Vernonia 44–48, key to Panamanian spp. 47–48; sect. *Vernonia* 44, 47; subsect. *Nudiflorae* 47; subsect. *Polyanthes* 44; *arborescens* 47, key 47; *brachiata* key 47; *canescens* 47; *chaquensis* 47; **chiriquiensis** 44, **45–48**, fig. 46, key 47; *cinerea* key 47; **cocleana 44**, fig. 45, key 47; *havanensis* 44; *hieracioides* 44; *patens* key 48; *schulziana* 47; *seemaniana* 47; *tortuosa* 47, key 47; *trifloscula* key 47
Vesicularia 215
Vesiculariopsis 213; *spirifolium* 213
Vicia: americana 94; *pedunculata* 94; *purpurea* var. *venosa* 94
Vigna 405
Viola 180–187, 285; sect. *Nominium* 180; subsect. *Plagiostigma* 180; *egglestonii* 362; *fimbriatula* 180–187; *sagittata* 180–187, var. *ovata* 180
Violaceae 180–187
Virgularia: ochrophylla 355; *scarlatina* 353
Viscaceae 447, 449–452, 456–458
Viscum 456
WANDERLEY, MARIA DAS GRAÇAS L. & TANIA MARIA CERATI, Studies in Xyridaceae II. Two new species of *Xyris* from Brazil 298–301
Weinmannia pinnata 196
WENDT, TOM, Plantae Uxpanapae III. A new species of *Biophytum* (Oxalidaceae) and five genera new for the Mexican flora 133–138
West Indies: Hookeriales 210–224; *Reinhardtia* 20–25
WILLIAMS, ROGER L., On the mountain top with Mr. Osterhout 149–158
WUJEK, DANIEL E. See Menapace & Wujek 278–283
WURDACK, JOHN J., Notes on Melastomataceae of the Guianas 159–164
Xylosandrus compactus 275
Xylosma 271
Xyridaceae 298–301
Xyris 298–301; sect. *Nematopus* 301; *blanchetiana* 299; *cipoensis* 301; **coutensis** 298, **300**, fig. 300, 301; *fusca* 299; *hilariana* 299; *hystrix* 301; **jolyi 298**, 299, fig. 299; *nigricans* 301
Ynesa 1; *colenda* 1–6
YOST, SUSAN E., The effect of shade on petiole length in the *Viola fimbriatula-sagittata* complex (Violaceae) 180–187
ZANONI, THOMAS A.—book review of *Manual of Cultivated Conifers. Second Edition*, by Gerd Krüssmann, edited by H.-D. Warda, translated by M. E. Epp 431
———. See Read, Zanoni & Mejía 20–25
Zanthoxylum 24; *fagara* 254
Zigadenus (*Zygadenus*): *paniculatus* 88; *porrifolius* 243
Ziziphus obtusifolia 254

[BRITTONIA for October–December 1987 (39: 409–524) was issued 28 December 1987]